




BEST AVAILABLE COPY
KONGERIKET NORGE
The Kingdom of Norway

REC'D PCT 19 AUG 2004 #2



Bekreftelse på patentsøknad nr
Certification of patent application no

2002 0893

Det bekreftes herved at vedheftede dokument er nøyaktig utskrift/kopi av ovennevnte søknad, som opprinnelig inngitt 2002.02.22

It is hereby certified that the annexed document is a true copy of the above-mentioned application, as originally filed on 2002.02.22

Best Available Copy

2003.02.27

Freddy Strømmen

Freddy Strømmen
Seksjonsleder

Line Reum

Line Reum



**PRIORITY
DOCUMENT**
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

JFL

22-02-2002

E24021

PATENTSTYRET

02-02-22*20020893

VENSAFE ASA
Bruket 31
1621 GRESSVIK

Oppfinner:

Nicholas Arthur Scott
Schürbusch 14
D-32429 MINDEN
Tyskland

(A system for sale of consumer goods)

SYSTEM FOR SALG AV FORBRUKSVARER

The present invention relates to a system for sale of consumer goods, the system including means for providing or issuing to a customer a non-validated token representing an article of merchandise, said article to be paid for by the customer at a check-out unit when checking the token at said unit, said checkout unit having
5 means for communicating with an article dispenser means and providing the article dispenser means with a transaction code following payment of the article, and means for providing the customer with a validated token carrying the same transaction code, said validated token for use in obtaining the bought article from the article dispenser means by means of comparator means within the article dispenser means comparing
10 the transaction code on the validated token as input to the comparator means with the transaction code communicated by said communicating means, and delivery of the article upon a code match.

A prior art system of this kind is known from U.S. patent 5,902,984, where the non-validated token carries both data related to the article number and a card serial number
15 unique to that individual token. Such tokens are normally displayed on a rack where the customer may pick the token representing the article which the customer intends to purchase.

However, in the prior art system article numbers may change from time to time, due to amended type of a particular article, a new brand or a correction of the article serial number being made. This implies that that pre-issued, non-validated tokens on a rack may not be recognisable when taken to a control unit. Furthermore, frequent pre-printing and replacement of tokens are expensive operations.
20

The invention has therefore as one of its objects to provide a system which avoids these disadvantages, but still preserve the intended benefits of the prior art system, in addition to other novel features provided by the present invention.

According to the invention said means for providing the non-validated token is a printer controlled by a selection panel displaying articles for which a non-validated token can be printed upon activation thereof.
25
30

According to further features of the system, according to the invention, the non-validated token carries information related to the type of article. The type-of-article information is elected from the group of : numerical code, bar-code, EAN code, UPC-code, magnetically readable code, manually interpretable article identification.

- 5 In addition, the type-of-article information is electable from the group of: animation of the article, name of article, article price, a unique token number.

According to another feature of the system the unique token number is generated serially or randomly by said providing or issuing means.

10

Further, the validated token carries a transaction code can be elected from the group of:

- a serially generated transaction code,
- a randomly generated transaction code, and
- 15 - said unique token number.

The transaction code provided on the validated token is elected from the group of: numerical code, bar-code, EAN code, UPC- code, magnetically readable code, an array of numbers, an array of letters, an array of a combination of numbers and letters, at least one array of punched holes, programmable IC-chip, a pre-programmed IC-chip.

20

In a particular embodiment, the validated token is the non-validated token provided with the transaction code through processing in the check-out unit.

25

In a preferred embodiment, however, the validated token is a replacement token issued by the check-out unit from a dispenser or printer.

The communication between the check-out unit and the article dispenser means may be on one or more of several forms, dependent on the installation facilities. Suitably the communication type is elected from the group of:

30

- ultrasonic transmission,
- electro-optical transmission,
- rf-transmission,

- blue-tooth transmission,
- hard-wired transmission,
- transmission via a retailer central computer unit and general goods transaction controller.

5

In a particular embodiment, the check-out unit includes or is associated with a transaction code encoder means, the check-out counter further comprising a type-of-article- information scanner means, said scanner means for communicating said information to the encoder means, said check-out unit communicating with the article dispenser means via said token encoder means, said token encoder means relaying said information to a cash register in said check-out unit for processing in a payment collection operation, and said token encoder means further having a controller for controlling a printer issuing the validated article token, and means for conveying said communication to the article dispenser means.

15

The transaction code on the validated token is input to the comparator through machine reading of the transaction code, said machine elected from the group of :

- OCR reader,
- optical scanner for scanning a bar code or EAN code
- 20 - an electromagnetic magnetic strip reader
- an IC-chip reader,
- a punched holes reader.

In an alternative to the machine reading, the article dispenser means has a manually operable keypad or keyboard for input to the comparator unit of a manually readable transaction code on the validated token.

The invention is now to be described with reference to the attached drawing.

30 The system has a unit 1 which provides or issues to a customer a non-validated token 2 from a printer 3 which is controlled by a selection panel 4 displaying articles for which the non-validated token can be printed upon activation of one of the panel elements 4', each element representing an article of merchandise. As an alternative, a selection panel in the form of a display panel 5, e.g. of LCD type, may show the

communicated from the check-out-unit 9 to the article dispenser means 16. The validated token 21 is used for obtaining the bought (and paid) article from the article dispenser means 16. When the token is inserted into a token reader 24 on the dispenser means 16, or when the transaction code 23 is input via a keypad 25, said
 5 keypad having in addition "cancel" key 25' and "enter" key 25", a comparator means 26 within the article dispenser means 16 compares the transaction code on the validated token as input to the comparator means 26 with the transaction code communicated by said communicating means. If there is a code match according the predetermined criteria, the dispenser means 16 delivers through the delivery part 16'
 10 thereof the article 27 to the customer.

The transaction code as communicated to the dispenser means 16 and as present on the validated token 21 is elected from the group of: a serially generated transaction code, a randomly generated transaction code, and said unique token number. Further,
 15 the transaction code provided on the validated token 21 is suitably elected from the group of: numerical code, bar-code, EAN code, UPC- code, magnetically readable code, an array of numbers, an array of letters, an array of a combination of numbers and letters, at least one array of punched holes, programmable IC-chip, a pre-programmed IC-chip.

20

However, it may also be visualized that validated token is in fact the non-validated token 2 provided with the transaction code through processing in the check-out unit 9. Such processing could e.g. be through using the magnetic encoder 14 to encode the magnetic stripe 2''' on the token 2. Alternatively, a person operating the check-out
 25 unit 9 could use the unique token number, if present, printed on the token 2 as a transaction number and manually enter it via the keypad 12.

However, most preferred, the validated token 21 is a replacement token issued by the the printer or token dispenser 22.

30

It will be noted from the attached drawing that the check-out unit 9 is includes or is associated with a transaction code encoder means 28. As described above, the check-out unit 9 is associated said scanner 11, said scanner 11 capable of communicating the type-of-article information to the transaction code encoder means 28. Thus, it may in

a particular embodiment be preferable to let said check-out unit 9 communicate with the article dispenser means 16 via said transaction encoder means 28, e.g. through wireless transmission 17'. The said encoder means 28 relays said information to the cash register 13 which communicates with the check-out unit 9 for processing in a payment collection operation to add-on to the bill 15. The encoder means 28 may further have a controller unit 28', similar to a controller unit 9' for controlling the printer 22 which issues the validated article token 21.

The token reader 24 may be of any selected type in order to enable reading in machine-readable form the transaction code provided on the validated token 21, thus e.g. a machine elected from the group of :

- OCR reader,
- optical scanner for scanning a bar code or EAN code
- an electromagnetic magnetic strip reader
- an IC-chip reader,
- a punched holes reader.

If the validated token, either token 21 or the original, though later validated token 2, has a manually readable transaction code, e.g. an array of numbers, the manually operable keypad or keyboard 25 can be used to input to the comparator means 26 the transaction code on the validated token.



CLAIMS:

1.

5 A system for sale of consumer goods, the system including means for providing or
issuing to a customer a non-validated token representing an article of merchandise,
said article to be paid for by the customer at a check-out unit when checking the
token at said unit, said checkout unit having means for communicating with an article
dispenser means and providing the article dispenser means with a transaction code
10 following payment of the article, and means for providing the customer with a
validated token carrying the same transaction code, said validated token for use in
obtaining the bought article from the article dispenser means by means of comparator
means within the article dispenser means comparing the transaction code on the
validated token as input to the comparator means with the transaction code
15 communicated by said communicating means, and delivery of the article upon a code
match,
wherein said means for providing the non-validated token is a printer controlled by a
selection panel displaying articles for which a non-validated token can be printed
upon activation thereof.

20 2.

A system according to claim 1, wherein the non-validated token carries information
related to the type of article.

3.

25 A system according to claim 2, wherein the type-of-article information is elected from
the group of : numerical code, bar-code, EAN code, UPC-code, magnetically
readable code, manually interpretable article identification.

4.

30 A system according to claim 3, wherein the type-of-article information is in addition
elected from the group of: animation of the article, name of article, article price, a
unique token number.

5.

A system according to claim 4, wherein the unique token number is generated serially or randomly by said providing or issuing means.

5 6.

A system according to one or more of claims 1 - 5, wherein the validated token carries a transaction code elected from the group of:

- a serially generated transaction code,
- a randomly generated transaction code, and
- 10 - said unique token number.

7.

A system according to claim 6, wherein the transaction code provided on the validated token is elected from the group of,

- 15 numerical code, bar-code, EAN code, UPC- code, magnetically readable code, an array of numbers, an array of letters, an array of a combination of numbers and letters, at least one array of punched holes, programmable IC-chip, a pre-programmed IC-chip.

20 8.

A system according to anyone of claims 1 - 7, wherein the validated token is the non-validated token provided with the transaction code through processing in the check-out unit.

25 9.

A system according to anyone of claims 1 - 7, wherein the validated token is a replacement token issued by the check-out unit from a token dispenser or token printer.

30 10.

A system according to anyone of claims 1 - 9, wherein the communication between the check-out unit and the article dispenser means is elected from the group of:

- ultrasonic transmission,
- electro-optical transmission,

- 5

10

20

- 25


30



S U M M A R Y

A system for sale of consumer goods, the system including means for issuing to a customer from a printer a non-validated token representing an article of merchandise following election by the customer from a selection panel. The article is to be paid for by the customer at a check-out unit when checking the token at said unit. Said check-out unit has means for providing from a token printer or dispenser a replacement token in the form of a validated token. The validated token carries a transaction code elected from the group of: a serially generated transaction code or a randomly generated transaction code. Said checkout unit has means for communicating with an article dispenser means and providing the article dispenser means with said transaction code following payment of the article. The validated token is used for obtaining the bought article from the article dispenser means by means of comparator means within the article dispenser comparing the transaction code on the validated token as input to the comparator unit with the transaction code communicated by said communicating means, and delivery of the article upon a code match,





**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.